

# White paper

November 2007

## W890i

---

Play it your way



Sony Ericsson

# Preface

## Purpose of this document

---

This White paper will be published in several revisions as the phone is developed. Therefore, some of the headings and tables in this document contain limited information. Additional information and facts will be forthcoming in later revisions.

The aim of this White paper is to give the reader an understanding of the main functions and features of this phone.

People who can benefit from this document include:

- Operators
- Service providers
- Software developers
- Support engineers
- Application developers

This White paper is published by:

Sony Ericsson Mobile Communications AB,  
SE-221 88 Lund, Sweden

Phone: +46 46 19 40 00

Fax: +46 46 19 41 00

[www.sonyericsson.com/](http://www.sonyericsson.com/)

© Sony Ericsson Mobile Communications AB,  
2007. All rights reserved. You are hereby granted  
a license to download and/or print a copy of this  
document.

Any rights not expressly granted herein are  
reserved.

Second edition (November 2007)  
Publication number: 1204-0551.2

This document is published by Sony Ericsson Mobile Communications AB or its local affiliated company, without any warranty\*. Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to programs and/or equipment, may be made by Sony Ericsson Mobile Communications AB at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Printed versions are to be regarded as temporary reference copies only.

\*All implied warranties, including without limitation the implied warranties of merchantability or fitness for a particular purpose, are excluded. In no event shall Sony Ericsson or its licensors be liable for incidental or consequential damages of any nature, including but not limited to lost profits or commercial loss, arising out of the use of the information in this document.

# Sony Ericsson Developer World

---

On [www.sonyericsson.com/developer](http://www.sonyericsson.com/developer), developers will find documentation and tools such as phone White papers, Developers guidelines for different technologies, SDKs and relevant APIs. The Web site also contains discussion forums monitored by the Sony Ericsson Developer Support team, an extensive Knowledge Base, Tips & Tricks, example code and news.

Sony Ericsson also offers technical support services to professional developers. For more information about these professional services, go to the Sony Ericsson Developer World Web site.

## Document history

---

---

### Change history

2007-11-06	Version 1	First released version
2007-11-08	Version 2	Second released version

# Contents

<b>Product overview .....</b>	<b>4</b>
Key features .....	5
Images .....	9
<b>Technologies in detail .....</b>	<b>10</b>
Functions and features .....	11
<b>Facts and figures .....</b>	<b>29</b>
Technical specifications .....	30
General technical data .....	30
Performance and technical characteristics .....	30
USSD technical data .....	32
GPRS technical data .....	32
SIM AT services supported .....	33
Entertainment .....	38
Audio and Video .....	38
Java™ .....	39
Imaging/Messaging .....	39
3.2 Megapixel camera .....	39
Video telephony .....	41
Images .....	41
Supported character set .....	42
Short Messaging Service .....	42
Enhanced Messaging Service .....	44
Multimedia Messaging Service .....	45
Email client technical data .....	46
Connectivity .....	48
Bluetooth™ technical data .....	48
OMA Data Synchronization (SyncML™) technical data .....	49
Microsoft® Exchange ActiveSync® .....	49
Web browser technical data .....	50
Client Provisioning .....	53
<b>Abbreviations .....</b>	<b>56</b>
<b>Related information .....</b>	<b>60</b>
Documents .....	60
Links .....	60
Trademarks and acknowledgements .....	60

# Product overview

---

W890i is an elegantly slim phone. The phone delivers a distinct style leadership through its metal feel and design lines, expressed in many different fashion colours.

The music experience is supported through the Walkman® player 3.0. The Media user interface gives the user a fun and easy-to-use media experience (music, photos, videos). The Walkman® kit includes a high quality colour matched stereo headset, 2GB Memory Stick Micro M2™, USB cable and Media manager software for easy transfer of music between PC and phone. W890i supports a range of music formats.

W890i includes a 3.2 megapixel camera, a QCIF camera for video telephony, video recording and playback is included. Share your photos and videos with picture and video blogging, email or MMS. With the full HTML browser and HSDPA support, browsing the Internet is fast and easy.

Features include:

- 3.2 megapixel camera with fixed focus.
- Easy-to-use horizontal digital camera menu.
- 2.0-inch high resolution display.
- The ability to share full-size images via mobile blogging.
- Video blogging.
- Web browser supporting HTML.
- Magnetic mouse pointer for Web browsing.
- PictBridge™ to print pictures directly on a printer.
- The latest in 3G/HSPDA/EDGE technology for voice and video telephony.
- Slide shows with music, transitions and more.
- 3D gaming.
- Web feeds.
- FM radio with RDS and track identification.
- A handsfree and USB cable provided in the kit.
- A memory card reader for Memory Stick Micro™ (M2™) memory cards.

# Key features

---

## Walkman® player 3.0

Located in Media, the Walkman® player converts the phone into a portable music player that supports AAC, AAC+, Enhanced ACC+, MP3, MP4, M4A, 3GP, AMR NB, WAV, RealAudio 8 and WMA audio formats. Access audio books and podcasts you have transferred from your computer. Use SensMe™ to discover music by mood. The phone knows the mood of each song without having to enter information such as slow, fast, major, minor, acoustic, electric etc. Mark a song, a circle appears around this and encircles several other songs in the same mood creating a selection. There is no need to choose artist or album, just mood.

## Stereo widening

The Stereo Widening and Mega Bass™ effects improve the sound experience when listening to music through a stereo Bluetooth headset, external stereo speakers or stereo portable handsfree headsets.

## TrackID™

TrackID™ enables the user to identify a track playing on the built-in radio, or a track playing in the room. A few seconds of the song is sampled, the phone connects to an online database, which identifies the song and returns Title, Artist and Album information.

## 3.2 Megapixel camera

The main camera is 3.2 megapixel and includes 3.2x digital zoom with fixed focus to take quality pictures with ease. The horizontal user interface allows for easier camera handling. The main camera records video clips with 3.2x digital zoom, and saves them in the phone or on a memory card. A picture or video clip can be shared as a picture message or email message with friends or family, or using any available transfer method such as Bluetooth™ wireless technology. The phone supports QVGA size video recording.

## Video call camera

There is also a QCIF (Quarter Common Intermediate Format) video call camera. Accessing video call mode via the main menu activates the QCIF video call camera.

## 2.0-inch colour screen

The large 2.0-inch (240x320 pixels) full graphic QVGA 262k colour screen enhances viewing, facilitating high-quality multimedia and entertainment.

## Web feeds

A built-in RSS (Really Simple Syndication) Reader is used in combination with the Internet browser. When browsing, frequently updated content such as news headlines or podcasts can be received as feeds.

## Web feeds ticker

News headlines you subscribe to can be shown in standby using Web feeds.

## HTML Web browser support

Browse the Internet and look at Web sites in a different way with Access NetFront 3.4 – an HTML browser which supports a complete Web standard suite.

## **Mobile blogging**

Send pictures and video clips using the Internet to show on your personal blog , allowing people easy access to view and comment on your pictures and video clips.

## **Photo tags**

Navigate through your captured photos and thousands of downsized photos transferred from your computer. View captured photos and video clips in an intuitive timeline view. Play animated slide shows with music and different moods. Tag your photos to find them faster.

## **PictBridge™ – Camera printing**

Transfer images from the phone using the USB cable directly to a printer, without a computer or photo editing software.

## **Push email**

The phone supports push email, a method of pushing new email messages automatically to mobile devices. Push email increases mobile email usability, with email being delivered in the background (similar to SMS or MMS).

## **Media**

A unique Sony Ericsson media experience. All media can be accessed directly from the desktop. Navigate seamlessly through captured photos and video clips, pictures, photo tags, music, videos and more.

## **Music player**

Located in Media. Play downloaded music and audio. The navigation system enables you, for example, to browse through your favourite tracks and create simple playlists.

## **Video player**

Located in Media. Play saved and downloaded video clips.

## **Sony Ericsson Media Manager**

Music, photo and video clip management software is available on the CD which is included in the kit. Transfer music, video clips and photos to and from your phone. Prepare files for transfer even when your phone is not connected to your computer. Search for and select music on your computer or audio CDs and convert your existing audio tracks to formats that are suitable for mobile use before transferring them to your phone. You can also subscribe to feeds such as video and music podcasts.

## **PlayNow™**

A unique and easy-to-use direct link for the downloading of content in the form of music files, games, themes and images. For example, select PlayNow™ and go straight to a live list of top music hits.

All formats that are supported in the phone are possible to download. Music, video clips and images may be previewed before purchase. The music formats are MIDI, MP3, MP4, Real® 8 or WAV (Polyphonic 24 voices or more).

## **PlayNow™ 5.0 and M-buzz**

A unique direct-link to download music, games and images which is easy-to-use and gives you best-selling content for mobile download. You have access to a catalogue of thousands of tracks from Sony BMG™. By selecting PlayNow™, the user can, for example, go straight to a live list of top music hits. PlayNow™ also has a link to M-buzz, a promotional site for unsigned artists. M-buzz includes tracks,

gig schedules and information about the stars of tomorrow. All formats that are supported in the phone are possible to download. Music, video and images may be previewed before purchase.

### **3D Gaming**

Gaming is a popular feature in mobile phones. With Java™, users can download new games and skill levels to further enhance their entertainment experience. Several embedded games are included in the phone at purchase.

### **Java™**

Download additional applications which are information- and entertainment-based. This gives users a chance to personalize the functions and features in their phones, and developers the opportunity to create new applications. Java Platform 8 (JP-8), supports a range of new Java programming features including instant messaging (chat) and presence-based functionality, handling banking, payment transactions, user identification and authentication through secure encryption technology.

### **Bluetooth™ wireless technology**

Several devices (simultaneous Bluetooth™ connections) can be connected up to 10 metres (33 feet) away using Bluetooth wireless technology. For example, when the phone rings, it can be answered with a Bluetooth headset, and images can be sent to another phone at the same time. Several mobile phones can take part in a Bluetooth-supported game and the phone and a computer can exchange data such as images, video clips, vCards, music files and calendar data. Bluetooth version 2.0 is supported.

### **Bluetooth™ audio streaming**

Listen to audio in compatible devices. By connecting a Bluetooth A2DP compatible accessory, such as a stereo Bluetooth headset or a Bluetooth music receiver, you can enjoy high quality stereo audio streaming wirelessly from the phone. Many A2DP accessories also support the Bluetooth Audio Video Remote Control Profile (AVRCP) allowing you to control the Walkman® player in the phone using the accessory interface.

### **USB 2.0 mass storage**

When connecting the phone to a computer using the provided USB cable, the memory in the phone appears on the computer screen as a removable disk along with other disks and drives in the computer. You can then quickly and easily drag and drop items such as images, documents, music and video clips between folders in the phone and the computer.

### **Media Transfer Protocol (MTP)**

With Media Transfer Protocol you can transfer media files and synchronize playlists when the phone is connected to the computer using the USB cable. It is possible to use MTP in Media transfer mode or Phone mode. MTP is supported by Windows Media Player 11 and higher in Windows XP and in Windows Vista it is also supported.

### **Personal Information Management (PIM)**

Stay up-to-date with everyday events by synchronizing phone contacts, calendar appointments, tasks and notes in the phone with similar programs in a computer. The USB cable which comes with the phone, or the built-in Bluetooth feature can be used together with the synchronization software which is available on the CD in the kit or can be downloaded from [www.sonyericsson.com/support](http://www.sonyericsson.com/support). Smart search your contacts and call list for phone numbers or names from standby.



### **Common Internet File System (CIFS)**

The Common Internet File System enables file transfer to and from your phone. The phone acts as a file server which allows you to copy and move files between your PC and the server. You can use this feature when connected using the USB cable or the Bluetooth connection.

# Images

---



# Technologies in detail

---

This chapter includes short descriptions of the technologies available in this product compared to other Sony Ericsson products.

# Functions and features

---

The following includes short descriptions of the technologies available in W890i compared to the W880 and W910.

Feature	W890i	W880	W910
<b>3D games</b>	Yes	Yes	Yes
<b>3G enabled</b>	Yes	Yes	Yes
<b>Activity menu (multi-tasking)</b> The user can easily handle missed calls, new text and picture messages, task reminders, shortcuts and get quick access to favourite Internet bookmarks	Yes with enhanced functionality for background applications	Yes with enhanced functionality for background applications.	Yes with enhanced functionality for background applications.
<b>Alarm clock</b> Set up to five individual times for single or recurring weekly alarms	Yes	Yes	Yes
<b>Auto rotate</b> The picture appears as a landscape or portrait picture, as it was originally taken	No	No	Yes
<b>Backlight</b> White backlight to illuminate the phone screen	Yes	Yes	Yes
<b>Battery</b>	BST-33 3.6V, 950mAh, Lithium Polymer	BST-33 3.6V, 950mAh, Lithium Polymer	BST-39 3.6V, 920mAh, Lithium Ion
<b>Battery charging time</b>	At least 90% charged within 2 hours. Fully charged within 2.5 hours	At least 90% charged within 2 hours. Fully charged within 2.5 hours	At least 90% charged within 2 hours. Fully charged within 2.5 hours

Feature	W890i	W880	W910
<b>BestPic™</b>  Enhance picture taking by automatically capturing a range of 9 pictures ranging from before to after a camera key press. Select the best picture to catch the moment. You can also save more than one picture.  Select BestPic™ speed	No	No	No
<b>Bluetooth™ audio streaming</b>  Listen to audio in compatible devices	Yes	Yes	Yes
<b>Bluetooth™ audio video remote control</b>  Control music player functions from a Bluetooth™ accessory, and control the volume in the accessory from the phone	Yes	Yes	Yes
<b>Bluetooth™ PAN</b>  Connect the phone to Internet using Bluetooth™	Yes	Yes	Yes
<b>Bluetooth™ wireless technology</b>  Wireless connectivity between devices within a range of up to 10 metres (33 feet). Support for specification of the Bluetooth System, version 2.0	Yes	Yes	Yes
<b>Business card exchange</b>  Exchange contact information	Yes	Yes	Yes
<b>Calculator</b>	Yes	Yes	Yes
<b>Calendar</b>  Calendar with day, week and month views and reminders	Yes	Yes	Yes
<b>Call list</b>  View calls made and received	Yes	Yes	Yes
<b>Camera</b>	3.2 Megapixel	2.0 Megapixel	2.0 Megapixel
<b>Camera active lens cover</b>  Open the cover and camera functionality starts automatically	No	No	No

Feature	W890i	W880	W910
<b>Camera auto focus</b>  The camera automatically focuses on the subject in a focus area in the screen/ viewfinder	No	No	No
<b>Camera file browser</b>  Browse the picture folder without leaving the camera function	Yes	Yes	Yes
<b>Camera flash</b>	No	No	No
<b>Camera image stabilizer</b>  Picture and video image stabilizer functionality. If available, use to keep the image steady	No	No	No
<b>Camera key</b>  A dedicated camera key	Yes	Yes	Yes
<b>Camera keys on top</b>  When the camera is used in horizontal mode, the side keys with camera functionality are on top, for a digital still camera feel. For photo key functionality, see also "Keys – side and other" on page 20	Yes	Yes	Yes
<b>Camera menu</b>  Easy-to-use horizontal digital camera menu	Yes	Yes	Yes
<b>Camera mode switch</b>  Use to switch between picture, video and play modes	No	No	No
<b>Camera on/off key</b>  A dedicated camera on/off key. Press and hold to activate the integrated camera and to open the lens cover	No	No	No
<b>Camera red eye reduction</b>	No	No	No
<b>Camera scene modes</b>  Use predefined settings when taking pictures in different environments, for example, at night or fast-moving objects	No	No	No

Feature	W890i	W880	W910
<b>Camera settings bar</b>  Settings bar with options and info texts	Yes	Yes	Yes
<b>Chinese input method</b>  Chinese input methods: Text input methods based on Simplified or Traditional Chinese. Bopomofo, Pinyin or Stroke	Yes	Yes	Yes
<b>Clock</b>  On-screen clock that keeps time even when the phone is off	Yes	Yes	Yes
<b>Co-branding area</b>	22 x 7 mm	41.3 x 7 mm	47.4 x 6.75 mm
<b>Code memo</b>  A safe place to save all PIN codes and other information. To access Code memo, only one PIN code is needed	Yes	Yes	Yes
<b>Colour</b>	Mocha Brown, Sparkling Silver Espresso Black	Flame Black Steel Silver	Noble Black Hearty Red
<b>Contacts</b>  Phonebook with fields for name, phone and fax numbers, email address, Web site, title, company address info, personal address info and birthday	Yes	Yes	Yes
<b>Conference calls</b>  Support for multiparty calling	Yes	Yes	Yes
<b>Connector A1 (Fast port)</b>	Yes (side)	Yes (side)	Yes (side)
<b>Content online</b>  Downloadable pictures, games, themes, ringtones available online	Yes	Yes	Yes
<b>Copyright protection - DRM</b>  DRM (Digital Rights Management) features the rights and copy protection of downloaded content (audio, pictures, music tones, video clips and entertainment features such as games, Java applications etc.)	Yes, OMA DRM 1.0 and OMA DRM 2.0	Yes, OMA DRM 1.0 and OMA DRM 2.0	Yes, OMA DRM 1.0 and OMA DRM 2.0
<b>Design</b>	Stick form	Stick form	Slider form

Feature	W890i	W880	W910
<b>Device Management (DM)</b>  DM utilizes GPRS as a bearer (basic network connectivity needs to be in place) of the provisioning data and allows the operator to access the phone, check and send out different settings such as network connectivity (GPRS), email, MMS, WAP and Java™. Device Management is achieved by supporting OMA Client Provisioning 1.1 (CP) and OMA Device Management (DM) 1.2	Yes	Yes	Yes
<b>Digital zoom</b>  	3.2x for pictures (VGA mode) 3.2x for video clips 2.0x for video calls (front camera) 4.0x for video calls (high resolution camera)	2.5x for pictures 4x for video clips 2x for video calls	2.5x for pictures 4x for video clips 2x for video calls
<b>Email</b>  Built-in email client with inbox, outbox, compose/send and other functions	Yes	Yes	Yes
<b>EMS (Enhanced messaging)</b>  Text messaging (SMS) with support for pictures and sounds  Note: EMS is not available for operators who use unified messaging	Yes	Yes	Yes
<b>Exterior description</b>  Size mm (Length x width x thickness/thinnest)	103.8 x 46.5 x 9.9	103 x 46.5 x 9.4	99.5 x 50 x 12.5
<b>External antenna connector</b>  For use with an advanced car handsfree accessory	No	No	No
<b>Fast port</b>  A system connector which enables faster data transfer between the phone and a computer	Yes	Yes	Yes



Feature	W890i	W880	W910
<b>File manager</b>  Folder structure storage to help save and organize pictures, sounds and other phone content	Yes with enhanced functionality for camera content	Yes with enhanced functionality for camera content	Yes with enhanced functionality for camera content
<b>Flash themes</b>	Yes	Yes	Yes
<b>Flight mode</b>  All phone radio transceivers are inactivated. Flight mode starts the phone so that only certain functions are available, such as the calendar, the music player or a game. The phone may then be used in some areas, such as aeroplanes or hospitals, where full mobile phone functionality is not allowed  Bluetooth™ function availability in Flight mode	Yes	Yes	Yes
<b>FM radio with RDS</b>  FM radio with presets, auto and manual search. The handsfree is used as an antenna. The radio can also be used as an alarm signal	Yes	No	Yes
<b>FM radio with TrackID™</b>  Identify tracks playing on the radio	Yes	No	Yes
<b>Games download</b>  Add more games to your phone	Yes	Yes	Yes
<b>Games embedded</b>	Yes	Yes	Yes
<b>GPRS</b>  General Packet Radio Services – a communications standard enabling packet data transfer of 21.4 Kbps per time slot. Multislot class 10 supported (max 5 simultaneously)	Yes	Yes	Yes
<b>High Speed Data</b>  HSCSD – a communications standard enabling GSM data transfer 14.4 Kbps.  HSDPA – High Speed Downlink Packet Access	Yes  Yes	Yes  No	No  No

Feature	W890i	W880	W910
<b>Icon Desktop 12</b>  A graphic icon desktop with 12 interactive icons	Yes	Yes	Yes
<b>Image formats</b>  <b>5 MP</b> (2592x1944 pixels)  <b>3 MP</b> (2048x1536 pixels)  <b>2 MP</b> (1632x1224 pixels)  <b>1 MP</b> (1280x960 pixels)  <b>VGA</b> (640x480 pixels)  Note: MP = Megapixel. When the picture stabilizer is on, the image size may be slightly reduced	No  Yes  Yes  Yes  Yes	No  No  Yes  Yes  Yes	No  No  Yes  Yes  Yes
<b>Infrared port</b>  A wireless connector enabling the user to connect the phone to a laptop or another infrared device in order to share pictures, synchronize calendar or use the phone as a modem	No	No	No
<b>Instant messaging (Wireless Village/My friends)</b>  Chat – several people can take part in a mobile messaging session. Instant messaging/Wireless Village server community	Yes	Yes	Yes
<b>Internet blogging</b>  Share up to full-size pictures over the Internet on your personal Web site. The size of uploaded pictures is dependent on customizations	Yes	Yes	Yes

Feature	W890i	W880	W910
<b>Internet browser</b>	Yes	Yes	Yes
cHTML – A mobile device adapted version of the standard Internet communications protocol HTML.	Yes	Yes	Yes
Full HTML support, ECMA script, DOM level 1& 2, etc.	Yes	Yes	Yes
Progressive download of video files.	Yes	Yes	Yes
Direct access to Search Internet and Enter address	Yes	No	Yes
<b>Internet security</b>	Yes, SSL/TLS	Yes, SSL/TLS	Yes, SSL/TLS
Encrypts confidential information such as credit card and bank account numbers. Necessary for mobile banking and shopping			
<b>Java™</b>	Java 2, Micro Edition (J2ME™), Java 3D™	Java 2, Micro Edition (J2ME™), Java 3D™	Java 2, Micro Edition (J2ME™), Java 3D™
Support for J2ME™ technology			
Java Platform 8 (JP-8) Support for new Java programming features including instant messaging/chat, banking, payment transactions, user identification and authentication through secure encryption technology.	Yes	Yes	Yes

Feature	W890i	W880	W910
<b>Keys – navigation and more</b>	8+1 navigation key  multimedia (play/stop) on navigation key centre  2 (left + right) selection keys  C (Clear) key  Activity menu key  Red end key  Green call key	8+1 navigation key  multimedia (play/stop) on navigation key centre  2 (left + right) selection keys  C (Clear) key  Activity menu key  Internet key/ Operator key  Power on/off (on C key)  Back key	8+1 navigation key  multimedia (play/stop) on navigation key centre  2 (left + right) selection keys  C (Clear) key  Activity menu key  Red end key  Green call key
<b>Keys – keypad</b>	12 alphanumeric	12 alphanumeric	12 alphanumeric

Feature	W890i	W880	W910
<b>Keys - side and other</b>	Volume/camera zoom key  Camera key  Walkman® key  On/off key on top	Volume/camera zoom  Camera key  Walkman® key	Volume/camera zoom key  Camera key  Walkman® key  Separate on/off key  A/B gaming keys. A/B keys using the camera (landscape orientation): Upper key: - camera shoot mode - video clip length Lower key: - night mode on/off
<b>Lunar calendar</b>  A calendar system used in China and other parts of Asia. A lunar month is determined by the period required for the moon to complete its full cycle of 29.5 days and is available in Chinese phone variants	Yes	Yes	Yes
<b>Adobe™ Flash Lite™</b>  For animated wallpapers, menus and other graphic elements	Yes	Yes	Yes
<b>Media</b>  A centre for all media content with horizontal and vertical navigation. You can view photos, listen to music, watch TV and video clips	Yes	No	Yes
<b>Media player</b>	See Walkman® player and Video player	See Walkman® player and Video player	See Walkman® player and Video player
<b>Mega Bass™</b>  An audio feature which enhances bass frequencies for better overall music experience	Yes	Yes	Yes

Feature	W890i	W880	W910
<b>Memory (built-in)</b>  Phone memory that is free to use (depending on software configuration and file content). Many applications share phone memory. The maximum amount of storage available for any one application, such as calendar entries, is affected by the amount of memory used by other applications, such as messaging, music, pictures and so on	Up to 32 MB	Up to 16 MB	Up to 40 MB
<b>Memory card reader (slot)</b>  A slot for inserting a micro peripheral storage device  Memory card support: Memory Stick Micro™ (M2™)	Yes  Yes	Yes  Yes	Yes  Yes
<b>Menu shortcuts</b>  A function making it possible to dedicate shortcuts to the most-used phone functions	Yes	Yes	Yes
<b>MMS (Multimedia messaging)</b>  Picture messaging with text and sound	Yes	Yes	Yes
<b>MMS video</b>  Support in the phone for sending video clips using MMS	Yes	Yes	Yes
<b>Modem</b>  Circuit Switched/Packet Switched Internet dial-up support	Yes	Yes	Yes
<b>MusicDJ™</b>  A sampler music tool with MIDI drum, guitar, keyboard, bass and brass loops in different music styles, which can be combined to create polyphonic ringtones	Yes	Yes	Yes
<b>Music listening time</b>	Up to 20 hours	Up to 18 hours	Up to 20 hours

Feature	W890i	W880	W910
<b>Music player 3.0</b>  A digital music player with sideways navigation. Play music you have transferred or downloaded. The list structure system enables you, for example, to organize favourite songs into groups and create simple playlists. A practical play/stop function makes it easy to listen to music any time, anywhere. You can also manage settings and more	See Walkman® player and Video player	See Walkman® player and Video player	See Walkman® player and Video player
<b>Music player effects</b>  Light and rhythm effects	No	No	No
<b>Music player key</b>  Get direct access to your music files without having to browse the menus. Press the music player key to gain direct access to the music player	See Walkman® key	See Walkman® player and Video player	See Walkman® player and Video player
<b>Music tones</b>  Music tones, also called master tones, are DRM protected music by original artists. Various digital audio formats are supported	Yes	Yes	Yes
<b>My friends</b>  See Instant messaging	Yes	Yes	Yes
<b>Networks</b>  3G/HSDPA  GSM/GPRS/EDGE	UMTS 2100/ HSDPA  GSM (R99) 850, 900, 1800, 1900. E-GSM 900	UMTS 2100  GSM (R99), 900, 1800, 1900, E- GSM 900	UMTS 2100  GSM (R99) 850, 900, 1800, 1900, E-GSM 900
<b>OMA Data Synchronization (SyncML)</b>  A device communications standard that enables remote synchronization between devices	Yes  SyncML 1.2 SyncML 1.1	Yes  SyncML 1.2 SyncML 1.1	Yes  SyncML 1.2 SyncML 1.1
<b>OTA settings</b>  Internet, email and other settings can be sent over the air to the phone	Yes	Yes	Yes

Feature	W890i	W880	W910
<b>Photo light (built-in)</b>  When lighting conditions are poor, activate the picture light	No	No	No
<b>PhotoDJ™</b>  A drawing tool in the phone where existing pictures can be altered	Yes	Yes	Yes
<b>Photo fix</b>  Improves an under-exposed picture by calculating and adjusting the light balance	Yes	No	Yes
<b>PictBridge™</b>  Transfer images from the phone via the USB cable directly to a printer, without a computer or photo editing software	Yes	Yes	Yes
<b>Picture gallery</b>  A thumbnail image gallery where sections of several pictures can be viewed at the same time	Yes Use photo tags	Yes Use photo tags	Yes Use photo tags
<b>Picture phonebook</b>  Add a picture to a saved contact. The picture appears on the screen when the saved contact calls	Yes	Yes	Yes
<b>PlayNow™ (direct link)</b>  Listen to music before you purchase and download it to your phone	Yes	Yes	Yes
<b>PlayNow™ Games (direct link)</b>  Download and purchase games straight from the phone desktop	Yes	Yes	Yes
<b>Polyphonic voices</b>	72	72	72
<b>Predictive text input</b>	Yes	Yes	Yes
<b>Push email</b>	Yes	Yes	Yes
<b>RSS reader</b>	See Web feeds	See Web feeds	See Web feeds
<b>Web feeds ticker</b>  Scroll news headers in standby	Yes	No	Yes



Feature	W890i	W880	W910
<b>Screen</b>			
Type:	Full graphical	Full graphical	Full graphical
Size:	2.0 inches	1.8 inches	2.36 inches
Resolution:	320x240 pixels	320x240 pixels	320x240 pixels
Technology:	TFT, QVGA	QVGA	TFT, QVGA
Colours displayed together:	262,000 (18 bit)	262,000 (18 bit)	262,000 (18 bit)
Backlight colour:	White	White	White
<b>Screen saver</b>	Yes	Yes	Yes
<b>SensMe™</b>	Yes	No	Yes
Sort music tracks by mood			
<b>Settings download (Ready to run)</b>	Yes	Yes	Yes
Set up functions that require a connection to the Internet such as the Internet browser and picture messaging. This function runs in the setup wizard or can also be chosen in the Settings menu. This function is not included in the setup wizard for customized phones			
<b>Shake control</b>	No	No	Yes
Shake control for music and gaming			
<b>SIM card lock</b>	Yes	Yes	Yes
The possibility to protect the SIM card with a four-digit PIN code			
<b>Smart search</b>	Yes	No	Yes
Search for numbers and contacts from standby by using the number keys. Call or send messages from a filtered list of search results.			
<b>SMS long (Text messaging)</b>	Yes	Yes	Yes
Concatenated SMS text messaging			
<b>Sleep mode</b>	Yes	Yes	Yes
A power-saving feature that minimizes the battery power consumed when the phone is in standby			
<b>Sony Ericsson Remote Update Service</b>	Yes	Yes	Yes
Download the latest operator-approved software, over the air, for your mobile phone			

Feature	W890i	W880	W910
<b>Sony Ericsson Update Service</b>  Connect the phone to an Internet-connected computer, download the latest operator-approved software from the Web site, <a href="http://www.sonyericsson.com/support">www.sonyericsson.com/support</a> and update the mobile device	Yes	Yes	Yes
<b>Sound recorder</b>  A recording device in the phone that can record voice messages or other sounds	Yes	Yes	Yes
<b>Speakerphone</b>	Yes	Yes	Yes
<b>Speed dialling</b>  Allocate contacts in the phone book to specific keys on the keypad	Yes	Yes	Yes
<b>Standby time</b>  GSM UMTS	Up to:  350 hours 350 hours	Up to:  425 hours 425 hours	Up to:  400 hours 350 hours
<b>Status view</b>  The screen shows the network being used, the time and other status information	Yes	Yes	Yes
<b>Stopwatch</b>	Yes	Yes	Yes
<b>SVG Tiny</b>  Scalable Vector Graphics for impressive animated wallpapers, menus and other graphic elements	Yes	Yes	Yes
<b>Synchronization PC</b>  Synchronize and share phone content with a computer	Yes	Yes	Yes
<b>Talk time</b>  GSM UMTS	Up to:  9.5 hours 4.5 hours	Up to:  6.5 hours 2.8 hours	Up to:  9 hours 3.5 hours
<b>Tasks</b>  Keeps track of important things you have to do	Yes	Yes	Yes
<b>Themes</b>  Phone menu texts and background graphics	Yes	Yes	Yes

Feature	W890i	W880	W910
<b>Timer</b>	Yes	Yes	Yes
Set the phone to alert after a specific time			
<b>TrackID™</b>			
Music recognition	Yes	Yes	Yes
Text search for artist, album, track, lyrics etc.	Yes	No	Yes
<b>Twin camera</b>	Yes	Yes	Yes
Two cameras – a main megapixel camera capable of taking still pictures/recording video clips and an additional video call camera optimized for video calls located above the screen			
<b>UMTS</b>	Yes	Yes	Yes
<b>USB connectivity support</b>	Yes	Yes	Yes
Connect the phone to a computer using the USB cable provided. The memory in the phone appears on the computer screen as a mass storage device	USB 2.0 High-Speed	USB 2.0 Full-Speed	USB 2.0 High-Speed
<b>USB ethernet emulation</b>	Yes	Yes	Yes
Connect to the Internet using the phone or the computer			
<b>Vibrating alert</b>	Yes	Yes	Yes
The phone vibrates when a call comes in			
<b>Video blogging</b>	Yes	Yes	Yes
Share video clips over the Internet on your personal Web site. The size of uploaded video clips is dependent on customizations			
<b>Video call camera</b>	Yes	Yes	Yes
<b>Video calling</b>	Yes	Yes	Yes
When you make a video call, the other party can be seen on the screen. The service requires UMTS/WCDMA			
<b>Video call talk time</b>	Up to 3 hours	Target Up to 1 hour 30 minutes	Target Up to 3 hours 20 minutes

Feature	W890i	W880	W910
<b>VideoDJ™</b>  Create video sequences by combining different clips and adding music and images	Yes	Yes	Yes
<b>Video player</b>  Play video clips you have transferred or downloaded. Transfer video clips to another phone or a computer using an available transfer method	Yes	Yes	Yes
<b>Video streaming</b>  Real-time streaming of video clips, for example, live cam. Media can also be downloaded and saved in the phone memory	Yes	Yes	Yes
<b>Viewfinder</b>  When using the camera, a picture can be previewed before it is captured	Yes	Yes	Yes
<b>Voice control</b>  Voice answer, reject and call. Assign voice commands to items in the phonebook. When a call is made, the voice command can be used instead of pressing keys	Yes	Yes	Yes
<b>Voicemail</b>  Support for voicemail operator service including automatic answering and message recording	Yes	Yes	Yes
<b>Walkman® key</b>  Get direct access to your music files without having to browse the menus. Press the Walkman® key to gain direct access to the Walkman® player	Yes	Yes	Yes
<b>Walkman® player</b>  A digital music player with sideways navigation. Play music you have transferred or downloaded. Play music files in the folder system, organize your favourite tracks into groups and create various playlists.	Yes (version 3.0)	Yes (version 2.0)	Yes (version 3.0)

Feature	W890i	W880	W910
<b>WAP 2.0 XHTML</b>  A mobile Internet standard to access specially designed Internet sites. WAP 2.0 supports colour and interactive lists	Yes	Yes	Yes
<b>Web feeds</b>  Frequently updated content delivered as feeds via a Web site, for example, news headlines in the browser	Yes	Yes	Yes
<b>Weight</b>	78 g	71 g	86 g

# Facts and figures

---

This chapter offers readers a detailed listing of all the technical data relating to the product. Comprehensive descriptions of performance and technical characteristics are presented in table format for quick and easy access.

# Technical specifications

## General technical data

System	Quad-band GSM Release 5 recommendations, GSM 850, GSM 900, e-GSM 900, GSM 1800, GSM 1900 Single-band 2100 HSDPA, cat 6 supported
Speech coding	HR, FR, EFR, AMR, , supported where available, for high speech quality.
GSM SIM/ UMTS USIM card	GSM SIM - GSM 11.11, UMTS SIM - 3GPP™ TS 31.101. Small plug-in card, 1,8 V and 3 V.
Memory	Up to 32 MB internal (depending on software configuration/file content) + extra slot for supported memory cards.
Data transfer speeds	Up to 3.6 Mbps (downlink, HSDPA, cat 6) Up to 384 Kbps (uplink, WCDMA R99)

## Performance and technical characteristics

Dimension	WCDMA 2100
Frequency range (MHz)	TX:1920-1980 RX:2110-2170
Channel spacing	5 MHz with 200 kHz channel rasters
Number of channels	277
Modulation	QPSK (WCDMA R99) QPSK/16 QAM (HSDPA)
TTI	10 ms (WCDMA R99) 2 ms (HSDPA)
TX Phase Accuracy	Error Vector Magnitude: <17.5%
Duplex spacing	190 MHz
Frequency stability	+/- 0.1 ppm
Voltage operation (nominal)	3.6 V
Transmitter RF power output	24 dBm Class 3 (0.25 W peak)
Transmitter Output impedance	50 ohm
Transmitter Spurious emission (according to specification)	< -36 dBm up to 1 GHz < -30 dBm over 1 GHz (according to 3GPP™ spec.)

<b>Dimension</b>	<b>WCDMA 2100</b>
Receiver RF sensitivity	Better than -106.7 dBm @ 12.2 kbps CS voice
Receiver RX Bit error rate	< 0.1%

<b>Dimension</b>	<b>GSM 850</b>	<b>GSM 900/ E-GSM 900</b>
Frequency range (MHz)	TX: 824-849 RX: 869-894	TX: 880-915 RX: 925-960
Channel spacing	200 kHz	200 kHz
Number of channels	124 Carriers *8 (TDMA)	174 Carriers *8 (TDMA)
Modulation	GMSK	GMSK
TX Phase Accuracy	< 5° RMS Phase error (burst)	< 5° RMS Phase error (burst)
Duplex spacing	45 MHz	45 MHz
Frequency stability	+/- 0.1ppm	+/- 0.1ppm
Voltage operation (nominal)	3.6 V	3.6 V
Transmitter RF power output	33 dBm Class 4 (2 W peak)	33 dBm Class 4 (2 W peak)
Transmitter Output impedance	50 ohm	50 ohm
Transmitter Spurious emission (according to specification)	< -36 dBm up to 1 GHz < -30 dBm over 1 GHz	< -36 dBm up to 1 GHz < -30 dBm over 1 GHz
Receiver RF sensitivity	Better than - 104 dBm	Better than - 102 dBm
Receiver RX Bit error rate	< 2.4%	< 2.4%

<b>Dimension</b>	<b>GSM 1800</b>	<b>GSM 1900</b>
Frequency range (MHz)	TX: 1710-1785 RX: 1805-1880	TX:1850-1910 RX:1930-1990
Channel spacing	200 kHz	200 kHz
Number of channels	374 Carriers *8 (TDMA)	299 Carriers *8 (TDMA)
Modulation	GMSK	GMSK
TX Phase Accuracy	< 5° RMS Phase error (burst)	< 5° RMS Phase error (burst)
Duplex spacing	95 MHz	80 MHz
Frequency stability	+/- 0.1ppm	+/- 0.1ppm
Voltage operation (nominal)	3.6 V	3.6 V
Transmitter RF power output	30 dBm Class 1 (1 W peak)	30 dBm Class 1 (1 W peak)



<b>Dimension</b>	<b>GSM 1800</b>	<b>GSM 1900</b>
Transmitter Output impedance	50 ohm	50 ohm
Transmitter Spurious emission (according to specification)	< - 30 dBm	< - 30 dBm
Receiver RF sensitivity	Better than – 102 dBm	Better than – 102 dBm
Receiver RX Bit error rate	< 2.4%	< 2.4%

## USSD technical data

<b>Feature</b>	<b>Support</b>
USSD support	GSM Phase 1/2 (Cross-phase compatibility)
Mode support	UI-mode supported SAT initiated USSD supported
UI-mode details	<ul style="list-style-type: none"> <li>It is possible to scroll the text up and down in USSD messages.</li> <li>It is possible to highlight embedded numbers and take actions accordingly.</li> </ul>

## GPRS technical data

<b>Dimension</b>	<b>Support</b>
Compatible GPRS and SMG specifications	Release 99 according to ETSI specification
Data rates	Multislot class 10 supported (max 5 simultaneously) CS-1, CS-2, CS-3, CS-4 9,050 bps, 13,400 bps, 15,600 bps, 21,400 bps supported (network-dependent).
Medium Access Modes	Dynamic allocation
Support of Packet Control Channels (PBCCH/PCCCH)	Yes
Network operation mode	NOM I, II, III
Support of GPRS/CS combined procedures	Yes
Network control mode	NC0 and 2
Support of access in 2 phases	Yes
Support of PRACH on 11 bits	Yes
Support of GPRS re-selection C31/C32	Yes

Dimension	Support
Support of static and dynamic addressing	Yes
Support of power control Uplink and Downlink	Uplink = yes, Downlink is a network feature
Support of ciphering algorithms	GEA1, GEA2, GEA3
Support of compression algorithms	Yes, V42bis and IP header compression
Mode of operation	Class B and Class C modes of operation supported
R Reference point	Physical layer: Support of RS232 PPP is supported as L2 layer in the R reference point Authentication algorithms PAP, CHAP supported
IP connectivity	PDP type IP is supported. IP termination in mobile or TE (laptop, PDA) is supported
PDP context	10 PDP context descriptions saved in the phone. PDP context description is edited via application in the phone, AT-command or via OTA. Simultaneous PDP contexts are supported, maximum 4
SIM	GPRS aware, as well as non-GPRS aware, SIM cards are supported
AT commands	Some of the supported commands: AT+CGDCONT - DEFINE PDP CONTEXT AT+CGEQREQ - Quality of Service Profile (REQUESTED) AT+CGEQMIN - Quality of Service Profile (Minimum Acceptable) AT+CGATT - PACKET DOMAIN SERVICE ATTACH OR DETACH AT+CGACT - PDP CONTEXT ACTIVATE OR DEACTIVATE AT+CGDATA - ENTER DATA STATE  For more information, see <a href="http://www.sonyericsson.com/developer">www.sonyericsson.com/developer</a>

## SIM AT services supported

Service	Mode	Support
CALL CONTROL BY SIM		Yes
MO SMS CONTROL		No
DATA DOWNLOAD TO SIM	Cell Broadcast SMS	Yes Yes

Service	Mode	Support
DISPLAY TEXT	Text of up to 240 characters (120 UCS2 coded).	Yes
	bit 1: 0 = normal priority	Yes
	1 = high priority	Yes
	bit 8: 0 = clear message after a delay	Yes
	1 = wait for user to clear message	Yes
GET INKEY	General: The GET_INKEY requires that the user confirms his/her choice	Yes
	bit 1: 0 = digits (0-9, *, # and +) only	Yes
	1 = alphabet set	Yes
	bit 2: 0 = SMS default alphabet	Yes
	1 = UCS2 alphabet	Yes
	bit 3: 0 = character sets defined by bit 1 and bit 2 are enabled	Yes
	1 = character sets defined by bit 1 and bit 2 are disabled and the Yes/No response is requested	Yes
GET INPUT	General: No. of hidden input characters	252
	bit 1: 0 = digits (0-9, *, # and +) only	Yes
	1 = alphabet set	Yes
	bit 2: 0 = SMS default alphabet	Yes
	1 = UCS2 alphabet	Yes
	bit 3: 0 = ME may echo user input on the display	Yes
	1 = user input not to be revealed in any way (see note)	Yes
	bit 4: 0 = user input to be in unpacked format	Yes
	1 = user input to be in SMS packed format	Yes
	bit 8: 0 = no help information available	Yes
	1 = help information available	Yes
LAUNCH BROWSER		Yes
MORE TIME		Yes
PLAY TONE		Yes
POLLING OFF		Yes
POLL INTERVAL		Yes

Service	Mode	Support
PROVIDE LOCAL INFORMATION	'00' = Location Information (MCC, MNC, LAC and Cell Identity)	Yes
	'01' = IMEI of the ME	Yes
	'02' = Network Measurement results	Yes
	'03' = Date, time and time zone (DTTinPLI)	Yes
	'04' - Language setting	Yes
	'05' - Timing advance	Yes
REFRESH	General: The reset option requests the user to wait while the phone restarts	Yes
	'00' = SIM Initialization and Full File Change Notification	Yes
	'01' = File Change Notification	Yes
	'02' = SIM Initialization and File Change Notification	Yes
	'03' = SIM Initialization	Yes
	'04' = SIM Reset	Yes
SELECT ITEM		Yes
SEND DTMF		Yes
SEND SHORT MESSAGE	bit 1: 0 = packing not required 1 = SMS packing by the ME required	Yes
		Yes
SEND SS		Yes
SEND USSD		Yes
SET UP CALL	General: Capability configuration	Yes
	Set-up speech call CallParty	No
	Subaddress DTMF support	Yes
	'00' = set up call, but only if not currently busy on another call	Yes
	'01' = set up call, but only if not currently busy on another call, with re-dial	Yes
	'02' = set up call, putting all other calls (if any) on hold	Yes
	'03' = set up call, putting all other calls (if any) on hold, with re-dial	Yes
	'04' = set up call, disconnecting all other calls (if any)	Yes
	'05' = set up call, disconnecting all other calls (if any), with re-dial	Yes

Service	Mode	Support
SET UP EVENT LIST	'00' = MT call	Yes
	'01' = Call connected	Yes
	'02' = Call disconnected	Yes
	'03' = Location status	Yes
	'04' = User activity	Yes
	'05' = Idle screen available	Yes
	'06' = Card reader status	Not Applicable
	'07' = Language selection	Yes
	'08' = Browser termination	Yes
	'09' = Data available	No
	'0A' = Channel status	No
SET UP IDLE MODE TEXT		Yes, 1 row of text is supported
SET UP MENU		Yes
TIMER MANAGEMENT		Yes
OPEN CHANNEL		Yes
CLOSE CHANNEL		Yes
RECEIVE DATA		Yes
SEND DATA		Yes
GET CHANNEL STATUS		Yes

## User Interaction with SIM AT

### Display text

Text of up to 240 characters (120 UCS coded) is supported.

Text clearing times are 5-20 seconds with a 60-second time-out limit for the user to clear the text. 'Key' responses:

- 'End key' – Proactive session terminated by user.
- 'Back' – Backward move in proactive session.

Any other key clears the screen if the command is performed successfully.

### Get inkey

Prompt for a one-character input. Pressing 'Ok' without entering a character gives warning message "Minimum 1 character". 'Key' responses:

- 'C' clears current character.
- 'End key' terminates the proactive session.
- 'Back' – Backward move in the proactive session.
- 'OK' – Command performed successfully.

## Get input

Prompt for character input. The phone will refuse to accept further input when maximum response length is exceeded. UI Maximum Response lengths:

- Digits Only – 160 characters.
- SMS default alphabet characters – 160 characters.
- Hidden Characters (digits only) – 20 characters.

'Key' responses:

- 'C' clears current character.
- 'End key' terminates the proactive session.
- 'Back' – Backward move in proactive session.
- 'OK' – Command performed successfully.

## Select item

Scroll to highlight item for selection. 'Key' responses:

- Navigational key press down – Scroll down list.
- Navigational key press up – Scroll up list.
- End key terminates proactive session.
- 'Back' – Backward move in proactive session.
- 'OK' – Command performed successfully.

## Send short message

Default message "Sending message, please wait" can be replaced for the Alpha Identifier text, or suppressed completely if a null text is provided. Default responses are "MESSAGE FAILED" or "MESSAGE SENT". 'Key' responses:

- End key or 'Back' ends the proactive session.

## Set up call

If you are on a call when the commands 'Set up Call', 'Putting all other calls on hold' are sent, the user will see the text 'Setting up a call current call will be held'. If 'OK' is pressed the current call will be put on hold and the new call set up. If the phone is on a call when the command 'Set Up Call, disconnecting all other calls' is sent, the user will see the text 'Setting up a call current call will be disconnected'. If the 'OK' key is pressed the current call will be disconnected and the new call set up.

## Set up menu

Incorporates a SIM Application Toolkit Menu Item into the ME's main menu structure.

If an Alpha Identifier is supplied in the Set Up Menu command, this is used as the SIM AT entry in the ME's main menu. If no alpha identifier is supplied and several items are found in the menu, a default title is used. If the SIM AT Menu Item is selected by pressing 'Select', all the items sent in the Set Up Menu command will be available for selection, in the same way as the Select Item command.

# Entertainment

---

## Audio and Video

File types	Formats	Extensions
Audio (All listed audio file formats are supported ringtone file formats)	MP4 MP3 M4A 3GPP™ AMR-NB AMR-WB WAV G-MIDI 1 SP-MIDI RealAudio® 8 iMelody XMF WMA, Extension WMA	.mp4 .mp3 .m4a .3gp .amr .awb, .amr .wav .mid .mid .ra, .rm .imy .xmf .wma
Video (including audio part)	MP4 (video: MPEG4, audio: AAC or AMR) 3GPP™ (video: MPEG4 or H.263, H.264, audio: AAC or AMR) RealVideo® 8 WMV	.mp4 .3gp .rv, .rm wmv, .asf
Streaming transport	RTSP according to 3GPP™	
Video encoding	H.263 Profile 0, Level 10 MPEG-4 Simple Visual Profile Level 0	
Video decoding	MPEG-4 Simple Visual Profile Level 0 H.263 Profile 0, Level 10 H.264 Baseline Profile (Main subset), Level 1b RealVideo 8	
Audio encoding	AMR-NB AAC-LC (for video recording only)	
Audio decoding	MP3 (MPEG-1/2/2.5, audio layer 3), AAC, AAC+, eAAC+, AMR-NB, AMR-WB, AMR-WB+, RealAudio 8 (depending on configuration), WMA version 2,7,8: Class 1, WMA version 9: Level 3, GM, GML, SP-MIDI	

# Java™

Feature	Functionalities
<b>Java™ Platform, Micro Edition</b>	<ul style="list-style-type: none"> <li>• JSR-75 PDA/File</li> <li>• JSR-82 Bluetooth Wireless Technology API</li> <li>• JSR 118 MIDP 2.1</li> <li>• JSR-120 Wireless Messaging API</li> <li>• JSR-205 Wireless Messaging API 2.0</li> <li>• JSR-135 MMAPI 1.1</li> <li>• JSR 139 CLDC 1.1</li> <li>• JSR-172 Web Services</li> <li>• JSR-177 Security and Trust Services</li> <li>• JSR-180 SIP</li> <li>• JSR-184 Mobile 3D Graphics</li> <li>• JSR 185 Java™ Technology for the Wireless Industry</li> <li>• JSR-211 Content Handler</li> <li>• JSR-226 SVG</li> <li>• JSR-229 Payment</li> <li>• JSR-234 Adv Multimedia Supplements</li> <li>• JSR-238 Mobile Internationalization</li> <li>• JSR-239 OpenGL ES</li> <li>• JSR-248 Mobile Service Architecture</li> <li>• Nokia UI API</li> </ul>
<b>Java 3D</b>	<ul style="list-style-type: none"> <li>• Mascot Capsule Ver.3</li> <li>• JSR-239 OpenGL ES</li> <li>• JSR-184 Mobile 3D Graphics API for J2ME™</li> </ul>

## Imaging/Messaging

### 3.2 Megapixel camera

<b>Digital still camera (DSC)</b>	
True colour	Yes
Digital zoom	Main camera: 3.2x zoom (VGA picture size)
Photo fix	Improves an under-exposed picture by calculating and adjusting the light balance
Still camera settings bar	
Shoot modes	Normal, Burst, Panorama, Frames
Scenes	Auto, Twilight landscape, Twilight portrait, Landscape, Portrait, Beach/Snow, Sports, Document



Picture sizes (resolution)	<b>3 MP</b> (2048x1536 pixels) <b>2 MP</b> (1632x1224 pixels) <b>1 MP</b> (1280x960 pixels) <b>VGA</b> (640x480 pixels) Note: MP = Megapixel
Focus	Fixed
Flash (Xenon)	Off, Auto, Red eye reduction
ISO setting	ISO 400, ISO 200, ISO 100, ISO Auto
Self-timer	Off, On
Effects	Off, Black & white, Negative, Sepia
White balance	Auto, Daylight, Cloudy, Fluorescent, Incandescent
Metering mode	No
Still camera setup	
Picture quality	Normal, Fine
Red-eye reduction	No
Shutter sounds	Yes
Image stabilizer	No
Reset file number	Yes
Save to memory	Memory card, phone memory
<b>Video recorder</b>	
Video size (resolution)	QVGA 320x240 pixels
Frame rate	30 fps (frames per second)
Video camera settings bar	
Video clip length	For video, For picture message
Focus	No, same as camera
Light	No
Night mode	Off, On
Self-timer	Yes, same as camera
Effects	Yes, same as camera
White balance	Yes, same as camera
Metering mode	No, same as camera
Turn on/off microphone	Off, On
Video camera setup	

Image stabilizer	No
Reset file number	Yes, same as camera
Save to memory	Yes, same as camera

## Video telephony

Picture sizes (resolution)	QCIF (176x144 pixels) SQCIF (128x96 pixels)
Digital zoom	Video call camera: 2x zoom Main camera when used for video telephony: 4x zoom
Night mode	Yes
White balance	Auto
Brightness	Yes
Video coding	H.263 MPEG-4 (Simple Visual Profile Level 0)
Audio coding	AMR

## Images

Images can be shared using a Bluetooth connection, MMS, email message, computer file transfer or memory card.

The image size is limited by the amount of free RAM.

Formats	Details
JPEG	ISO/IEC JPEG Baseline DCT Progressive DCT Non-differential Unlimited size
GIF	87a, 89a, support for interlacement, animation and transparency. Unlimited size
BMP	Windows® bitmap format
PNG	Unlimited size
SVG	SVG Tiny 1.2
WBMP	Wireless bitmap Unlimited size

## Supported character set

### Decoding text (Incoming MMS)

US-ASCII	UTF-16
ISO-8859-1	KOI8-R
ISO-8859-2	GB2312
Windows-1251	GB 18030
ISO 10646 (UCS-2)	GB 13000
UTF-7	BIG-5
UTF-8	

### Coding Text (Outgoing MMS)

UTF-8

## Short Messaging Service

Feature	Support
SMS Service Centre Number	It is possible to pre-load the SMS Service Centre Number
Pictures	It is possible to insert a picture or an icon into the text message. EMS compliant mobile phones will be able to see the picture correctly
Reply to messages	It is possible to reply to received messages by SMS, MMS, voice message and email
Input methods:	Predictive writing and multitap
Copy and paste words	Yes
Teaching of predictive words that are not in the predictive dictionary	Yes
Possibilities when creating a message:	
Save a sent message in a "Sent items" folder	Yes
Insert a line in the message	Yes
Assign a validity period to the message	Yes
Use predefined messages	Yes
Possibilities when receiving a message:	
Reply to the sender	Yes
Forward the message	Yes
Save the message on the SIM card	Yes
Get delivery time and date	Yes

<b>Feature</b>	<b>Support</b>
Possibilities of the previously sent message:	
Delivery report of the message	Yes (if requested when sending)
Forward the message	Yes
Save the message on the SIM card	Yes
Know the remaining capacity storage	Yes, > 95% full warning, capacity on SIM when saving to SIM
Possibilities of the previously received message:	
Reply to the sender	Yes
Save the message in the inbox	Yes
Forward the message	Yes
Know the remaining capacity storage	Yes, > 95% full warning, capacity on SIM when saving to SIM
Supported ways for replying to a received SMS:	
Via SMS, MMS, voice message, email	Yes
Via phone call (set up a call to the number contained in the message body)	Yes
Via WAP call (go to the WAP address contained in the message body)	Yes
Via USSD session	No
Print via infrared	No
Possibility to enable the user to send a text message to a list of recipients	Yes
Possibility to write an email address as a recipient address	Yes, if email gateway is present
SMS storage	In the phone memory, on the SIM card, or on memory card
Nokia Picture Messaging	Yes

## Enhanced Messaging Service

Feature	Support
Level of compliance supported by the phone regarding the specifications described in release 99	Enhanced Messaging Service (EMS) according to the standard 3GPP™ TS 23.040 v4.3.0, with the addition of the ODI feature from 3GPP™ TS 23.040 v5.0.0
Number of messages that the phone is able to handle to generate a concatenated message	10
Outgoing messages	<p>It is possible to:</p> <ul style="list-style-type: none"> <li>• See how many short messages an EMS message consists of before sending it.</li> <li>• Choose whether to send the message or not after writing it.</li> </ul>
Incoming messages	<ul style="list-style-type: none"> <li>• A signal is heard once all parts of the message have been received or when a time-out occurs.</li> <li>• It is possible to re-use the content of an EMS message. Sounds, pictures, and animations can be inserted in a new message, if the object is not protected using ODI.</li> </ul>
Delivery report for concatenated messages	A receipt is received in the phone when all parts of a concatenated message have been delivered if a delivery report is requested when it is being sent
Insert objects	It is possible to add pictures, animations and sounds to an EMS message
Sounds	Chimes high, chimes low, ding, tada, notify, drum, claps, fanfare, chords high, chords low
I-melody	Yes, version 1.2
Melodies	<p>It is possible to:</p> <ul style="list-style-type: none"> <li>• Receive (always), send using EMS (if not copyright protected).</li> <li>• Download melodies and commercial tunes from the Web.</li> </ul>
WBMP	Yes
Picture sizes	16x16, 32x32 pixels, variable size in black and white
Pictures	<p>It is possible to:</p> <ul style="list-style-type: none"> <li>• Edit pictures using PhotoDJ™.</li> <li>• Receive (always), send using EMS (if not copyright protected).</li> <li>• Download pictures from the Web.</li> </ul>

Feature	Support
Animations	There is support for the following animations: Angry, Crying, Flirty, Happy, Kiss, Sad, Tongue, Wow, Confused, Devil, Glasses, Indifferent, Laughter, Sceptical and Wink, as defined in 3GPP™ TS 23.040 v4.3.0. It is possible to send and receive animations
TP-PID field value given by the phone before sending an EMS message	0x00

## Multimedia Messaging Service

Feature	Support
MMS/CSD parameters and MMS/GPRS parameters placement	MMS is bound to an MMS profile. A MMS profile is bound to a Data account. A data account contains either CSD parameters or GPRS parameters and possibly proxy settings
Possibility to pre-configure the MMS parameters in the factory	<ul style="list-style-type: none"> <li>• MMS/CSD: Yes</li> <li>• MMS/GPRS: Yes</li> </ul>
Possibility to configure the MMS parameters by OTA provisioning	<ul style="list-style-type: none"> <li>• MMS/CSD: Yes</li> <li>• MMS/GPRS: Yes</li> </ul>
Possibility for all the parameters from the parameters set to be OTA provisioned at the same time	<ul style="list-style-type: none"> <li>• MMS/CSD: Yes</li> <li>• MMS/GPRS: Yes</li> </ul>
Possibility for only one parameter, in the set of parameters, to be OTA provisioned	<ul style="list-style-type: none"> <li>• MMS/CSD: No</li> <li>• MMS/GPRS: No</li> </ul>
OTA provisioning solution	OMA provisioning
Supplier indication of realized interoperability tests between its MMS User Agent and MMS Relay/Server from other suppliers	Yes
Support of a standard procedure for OTA provisioning of MMS parameters	OMA provisioning
Functionalities that the user is able to set during message composition:	<ul style="list-style-type: none"> <li>• Message subject</li> <li>• Message priority</li> <li>• Email recipient address</li> <li>• Message Cc, Bcc recipient(s) address(es)</li> <li>• Delivery report request</li> <li>• Read report request</li> <li>• MSISDN recipient address</li> <li>• Delivery time</li> <li>• Validity period</li> </ul>

Feature	Support
From where can the user insert multimedia elements into multimedia messages:	File Manager Photo album Camera Contacts Calendar Task Note Browser (vBookmark) VideoDJ™ PhotoDJ™ MusicDJ™ Sound recorder
Possibility for sent messages to be memorized into a folder in phone memory	Yes
Actions that the user can perform after message retrieval:	<ul style="list-style-type: none"> <li>• Reply to the sender of the message SMS/MMS</li> <li>• Reply to the sender and to Cc, Bcc people SMS/MMS</li> <li>• Forward the message</li> <li>• Delete the message</li> <li>• Save message in a dedicated folder</li> <li>• Call the sender of a message</li> <li>• Save item</li> <li>• Mark as unread</li> <li>• Details</li> </ul>
Multimedia codecs/formats supported for audio	AAC, AMR, MPEG Layer 3, Real 8, AWB, WAV, MP4, MIDI, iMelody, 3GPP™, XMF, M4A, WMA
Multimedia codecs/formats supported for video	MPG4, 3GPP™, SDP, Real 8, WMV
Multimedia codecs/formats supported for image	JPEG, GIF87, GIF89A, PNG, SVG, WBMP, BMP
Supported formats for message presentation:	<ul style="list-style-type: none"> <li>• Message body plus attachments (email presentation)</li> <li>• SMIL version as described in OMA MMS IOP document version 1.2</li> </ul>
Maximum message size that can be handled by the phone	Content Class and Creation mode are applied. Maximum size can also be customized
Maximum number of objects supported in a message	30 objects is standard. It is possible to increase the number through configuration
Maximum text size	5,000 characters/text

## Email client technical data

Feature	Support
Bearer type (IP)	Yes
Bearer type GSM Data (IP)	Yes, GPRS, HSCSD, ISDN and analog

Feature	Support
Character sets	ISO: ISO-8859-1, ISO-8859-2, ISO-8859-5, ISO-8859-7, ISO-8859-9, ISO-8859-10 Windows: Windows-1251, Windows-1252, Windows-1254, Windows-1255, Windows-1258 US-ASCII Unicode: UTF-7, UTF-8, UTF-16 Japanese: Shift_JIS, ISO-2022-JP Cyrillic: KOI8-R Simplified Chinese: GB2312, GB18030 Traditional Chinese: Big5 Thai: TIS-60
OTA provisioning solution	Yes
Protocols	POP3 and IMAP4
Push email	IMAP Idle (extension of IMAP4Rev1), OMA Email Notification 1.0 and scheduled checking, Exchange Active Sync (EAS)
Secure email	SSL/TLS, both port methods (POPS/IMAPS) and STARTTLS
Remote configuration	OMA Client Provisioning
HTML mail	Yes (tags removed)
Thumbnailed image attachments	Yes
Message management	User selectable inbox size, save messages to Memory Stick, arrange messages by date, size and Email address. Headers only or size limits
ESMTP	Yes
Background sending	Yes



# Connectivity

## Bluetooth™ technical data

Dimension	Support
Bluetooth capability statement	This phone supports Bluetooth Specification, version 2.0 with enhanced data rate (EDR)
Bluetooth profiles	Basic Imaging Profile Dial-up Networking Profile File Transfer Profile Generic Access Profile Generic Object Exchange Profile Handsfree Profile Headset Profile Human Interface Device (HID) Profile Java API Object Push Profile Personal Area Networking Profile Serial Port Profile Synchronization Profile SyncML OBEX binding Advanced Audio Distribution Profile (A2DP) Audio/Video Remote Control Profile Phonebook Access Profile
Connectable devices	All products supporting Bluetooth spec. 1.1, or higher, and at least one of the profiles above
Coverage area	Varies due to radio performance on remote device and the occurrence of obstacles. Up to 10 metres (33 feet)
Transmission power	Class 1, typical +3 dBm or 2 mW
Frequency band	2.4 GHz – the unlicensed ISM band
Power consumption	GSM host processor excluded: <ul style="list-style-type: none"> <li>• Standby, Bluetooth On mode: &lt;0.6 mA</li> <li>• Voice to headset (HV3 master): 11 mA (7 mA with EDR functionality, 2EV3 master). Dependent on various parameters such as if the phone is master or slave</li> <li>• Data mode average: 27mA at 172.8 Kbps symmetrical (DH1)</li> </ul>

## OMA Data Synchronization (SyncML™) technical data

Feature	Support for Sync ML
SyncML compliance	The phone is fully SyncML compliant, having passed SyncML Conformance testing. SyncML 1.2 or SyncML 1.1.2 is used depending on configuration and both are supported in Server-alerted synchronization
Basic data formats	Contacts: vCard 2.1, Calendar: vCalendar 1.0 (vEvent) Tasks: vCalendar 1.0 (vTodo) Notes: text/plain, Bookmarks:vBookmark 1.0
Possibility for operators to extend SyncML functionality	The device may be configured to include preset SyncML settings, and to control whether SyncML 1.1 or SyncML 1.2 will be used
Transport method for SyncML messages	HTTP, HTTPS, OBEX (USB, Bluetooth)
Possibility for the user to configure login parameters (for example, username and password) to access the remote database	Yes
Configuration parameters that can be entered/modified by the user	Server URL, Username, User PWD, Paths to databases (Calendar, Contacts, Notes, Tasks and Bookmarks), UserID and PWD for databases, Databases to be synchronized (On/Off), Internet profile, Synchronization interval, Server ID and Server PWD, permission to allow server-alerted synchronization and roaming options. Can be provisioned with OMA Client provisioning v1.1 and OMA Device Management v1.2
Ability to deal with multiple servers	Yes
Ability to perform conflict resolution actions	No

## Microsoft® Exchange ActiveSync®

Feature	Support for Exchange ActiveSync
Protocol version	The phone supports version 2.5 of Microsoft Exchange ActiveSync
Supported applications	Email, Calendar, Phonebook
Transport method used	HTTP, HTTPS
Possibility for the user to configure login parameters for remote server	Yes
Configuration parameters that can be entered/modified by the user	Server URL, username, domain name, password, applications to sync, email message size, email attachment size, email date range, message alert sound, calendar date range, interval sync, secure connection, roaming option

Feature	Support for Exchange ActiveSync
Ability to use multiple servers	No
Ability to perform conflict resolution	No

## Web browser technical data

Feature	Support in the browser
Bookmarks	Yes, with folders and sorting supported
Bookmark Export/Import	Yes, can be sent and received using vBookmark format using Bluetooth™, SMS, MMS and email
Browser compliancy	<p>The Web browser is compliant with the following standards:</p> <p>HTML ver. 4.01  XHTML Basic 1.0  XHTML 1.1, Module-based XHTML  XHTML Mobile profile  Compact HTML for Small Information Appliances  WML 1.3  Cascading Style Sheets, level 2 revision 1, CSS 2.1 Specification  WAP CSS Specification, Version 26-Oct-2001 (WAP-239-WCSS-20011026-a)  ECMA-script according to specifications found at <a href="http://www.ecma-international.org/publications/standards/Stnindex.htm">http://www.ecma-international.org/publications/standards/Stnindex.htm</a>  ECMAScript Mobile Profile  AJAX (Asynchronous JavaScript and XML)  Document Object Model Level 2 (DOM 2)  Scalable Vector Graphics, Mobile SVG Profile: SVG Tiny, version 1.2</p> <p>For further details, see the <i>WAP User Agent strings and profiles for Sony Ericsson mobile phones</i> Developers guidelines at Developer World <a href="http://developer.sonyericsson.com/">http://developer.sonyericsson.com/</a></p>
Browser version	Access NetFront 3.4
Cache	Yes (size 300 KB and 1 MB Flash)
Character sets *	<p>Most standard character sets, among others UTF-8 (Default), UTF-16, USASCII, Latin1, UCS2.</p> <p>For updated and detailed information, see the <i>WAP User Agent strings and profiles for Sony Ericsson mobile phones</i> Developers guidelines at Developer World <a href="http://developer.sonyericsson.com/">http://developer.sonyericsson.com/</a></p> <p>* When creating pages, it is recommended to always save the page contents as UTF-8.</p>
Clear cache	Yes, persistent. By user interaction, at SIM card change or master reset
Frames	Full Frame support: Frames, IFrames

Feature	Support in the browser
Image formats and animations	GIF (interlaced and non-interlaced) WBMP, JPEG, PNG, BMP and SVG. Animated GIFs, animated SVG and Flash
Schemes	Wtai, mailto:, smsto:, tel, rtsp, http, https
Streaming	Progressive download, RTSP, Java script controls
Web feeds	Ticker, podcasts, enclosures, OPML import. No support for ATOM
<b>User agent profile</b>	
User Agent Profiles	Yes, list of client characteristics - for example screen size. For details, see the <i>WAP User Agent strings and profiles for Sony Ericsson mobile phones</i> Developers guidelines at Developer World <a href="http://developer.sonyericsson.com/">http://developer.sonyericsson.com/</a>
URL sent pointing to the UA profile at the beginning of browser session	Yes. For details, see the <i>WAP User Agent strings and profiles for Sony Ericsson mobile phones</i> Developers guidelines at Developer World <a href="http://developer.sonyericsson.com/">http://developer.sonyericsson.com/</a>
<b>Download</b>	
OMA download functionality	Yes
HTTP GET solution to download content/ Uses browser for download	Yes
Other download content	Yes. No download limit when using HTTP protocol
Download application/product memory check	Yes
Downloaded object solution	Yes. The user is informed where the content is saved and asked if it should be used at once or later
UAP indication for downloading	Yes
Other features	Yes. Save, delete, forward, use, manage
Object formats	All formats can be downloaded and saved, but only formats supported by the phone can be used by the phone
Resume	Yes
Background download	Yes
Progressive download	Yes
Streaming	Yes
<b>Browser GUI</b>	
Selection keys	Yes. Two selection keys and centre navigation key
Separate/dedicated back or erase keys	Yes
Display backlight on when browsing	Yes

Feature	Support in the browser
Predictive writing	Yes
“http://” string displayed automatically when entering URLs	Not displayed but the “http://” is added automatically to the URL
“www” added automatically when entering URLs	No
Combined Search/Go To input field	Intelligent input field changes appearance (Search or Go to) depending on user input. “www”, “.com” and other URL syntax can be used to trigger the Go To appearance
<b>Internet network features</b>	
Bluetooth (as local connection)	Yes
Infrared (as local connection)	No
Network settings	Yes
PPP Authentication	PAP, CHAP supported
Security	HTTPS authentication TLS version 1 SSL version 3 WIM on SIM ICC X.509 certificate support, WAP Profile WPKI OTA download of trusted certificates
USB (as local connection)	Yes
<b>PUSH</b>	
<b>Content types</b>	
Service Indication (SI)	Yes
Service Loading (SL)	Yes
Cache Operation (CO) content type	No
Session Initiation Application (SIA)	Yes
<b>Man Machine Interface</b>	
SI/content retrieval postponing	Yes
SI menu structure accessibility	Messaging, Inbox
SL reception warning	The user can make a choice if a dialogue is wanted or not before loading the SL
SIA reception warning	Yes
Cache size limitations	The oldest push in the inbox will be discarded

Feature	Support in the browser
Number of push messages	Depends on the size of the push messages. Around 20 push messages with a size of 1024 bytes URL and 1024 bytes Indications for Service Indication can be saved.
Push deactivate	Yes
Dynamic push menu changes	No. There are no changes in the menus when activating/deactivating push
<b>Security</b>	
Mechanisms for push	None
Trust with PPG	Sending a SIA is the most reliable
WSP push sessions	No
HTTP push sessions	The White List (a setting to allow push messages only from certain addresses) is supported for IP address
SMS connection-less push	The White List (a setting to allow push messages only from certain addresses) is supported for SMS Center
Denial of service/spoofing	Setting to select when to allow push messages: Always, always ask or never. There is also a setting to select whether to allow push messages from all senders or only from certain addresses (the White List)

## Client Provisioning

Feature	Support
<b>Provisioning</b>	
<b>Provisioning types</b>	<b>OMA Client provisioning (v1.1)</b>
Total Parameter sets	10 (shared between the WAP provisioning types) < or = 10 (total number of data accounts)
Parameter set list	<div> name, homepage and homepage title (1st bookmark element), proxy/GW address, bookmarks (remaining bookmark elements), CSD phone number, CSD data rate, CSD dial type, GPRS APN, protocol authentication, GW authentication, secure connection on/off </div> <div> name, homepage, proxy/GW address, CSD phone number, CSD data rate, CSD dial type, CSD response timer, GPRS APN, protocol authentication, GW authentication, GPRS QoS </div>
Parameter sets include	CSD, GPRS (different sets)

Feature	Support
Factory pre-configuration	CSD (possibility to lock a setting), GPRS
<b>OTA</b>	CSD, GPRS configuration possible
<b>Security mechanism</b>	
<b>Bearer</b>	<b>OMA Client Provisioning</b>
OTA via SMS	Uses security mechanism (SEC) methods according to OMA-WAP-ProvCont-v1_1-20050428-C(see <a href="http://www.openmobilealliance.org">www.openmobilealliance.org</a> )
<b>Interface</b>	
<b>Bearer</b>	<b>OMA Client Provisioning</b>
OTA via SMS	For NETWPIN the user is asked to accept to install received settings. For USERPIN, USERNETWPIN and USERPINMAC the user is subsequently asked to enter a PIN code that is a shared secret between the service provider and the user
Re-provisioning Interface	OMA Client Provisioning
OTA via SMS	If the settings previously installed were privileged or have higher priority, it might not be possible to install the settings again unless the terminal is reset, otherwise as above
Carrier reset/provisioning	Yes, but not if the set is pre-configured in the factory and locked
SWIM	Not used for provisioning. The SWIM is only used for WAP security, both SSL/TLS connections and digital signatures
<b>Applicative provisioning</b>	
Preferred bearer customization	Yes
Other applications/features	Yes (MMS, Email, OMA Data Synchronization, Wireless Village, OMA Device Management, Streaming)
<b>Technologies</b>	
OMA Client provisioning	Yes, Client Provisioning version 1.1
Openwave OTA	No
Other	No
Provisioning bearer	SMS

Feature	Support
Parameter sets available	Yes
Parameter sets for OTA modification	Yes



# Abbreviations

## **3GPP™**

3rd Generation Partnership Project

## **AAC+**

Advanced Audio Coding

## **AMR**

Adaptive Multi Rate. Audio format for speech sounds

## **AMR-NB**

Adaptive Multi Rate Narrow Band

## **AMR-WB**

Adaptive Multi Rate Wide Band, a more efficient codec that supports speech with higher quality

## **API**

Application Programming Interface

## **Bluetooth PAN**

Bluetooth Personal Area Network

## **CS**

Circuit Switched

## **CSD**

Circuit Switched Data

## **DRM**

Digital Rights Management. Controlling copying and distribution of contents, with respect to intellectual property rights

## **DTMF or Touch Tone**

Dual Tone Multi-Frequency signal. Codes sent as tone signals. Used for telephone banking, accessing an answering machine, etc.

## **EDGE**

Enhanced Data Rates for GSM Evolution

## **e-GSM**

Extended GSM. New frequencies specified by the European Radio Communications Committee (ERC) for GSM use when additional spectrum is needed (network-dependent). It allows operators to transmit and receive just outside GSM's core 900 frequency band. This extension provides increased network capability

## **eAAC+**

Enhanced Advanced Audio Coding

## **EDR**

Enhanced Data Rate

## **EFR**

Enhanced Full Rate, speech coding

## **EMS**

Enhanced Messaging Service. Allows the user to add simple pixel pictures and animations, sounds and melodies to a text message. The EMS 3GPP™ standard also includes text formatting

## **ETSI**

European Telecommunications Standards Institute

## **FM**

Frequency Modulation of the (radio) carrier wave

## **FR**

Full Rate, speech coding.

## **GIF**

Graphics Interchange Format

## **GPRS**

General Packet Radio Services

## **GSM**

Global System for Mobile Communications. GSM is the world's most widely used digital mobile phone system, now operating in over 100 countries around the world, particularly in Europe and Asia-Pacific.

The GSM system family includes GSM 850, GSM 900, GSM 1800 and GSM 1900. There are different phases of roll-out for the GSM system and GSM phones are either phase 1 or phase 2 compliant

## **HR**

Half Rate, speech coding

## **HSCSD**

High Speed Circuit Switched Data

## **HSDPA**

High Speed Downlink Packet Access

## **HTML**

HyperText Markup Language

## **HTTP**

HyperText Transfer Protocol

## **IrDA**

Infrared Data Association

## **JPEG**

Joint Photographer Expert Group

## **MIDI**

Musical Instrument Digital Interface

## **ME**

Mobile Equipment

## **MMI**

Man-Machine Interface. See UI

## **MP**

Megapixel

## **MP3**

Short for "MPEG-1 layer 3", an effective audio coding scheme

## **MPEG4/MPG4**

MPEG-4 extends the earlier MPEG-1 and MPEG-2 algorithms with synthesis of speech and video, fractal compression, computer visualisation and artificial intelligence-based image processing techniques

## **MT**

Mobile Termination

## **ODI**

Object Distribution Indicator

## **OMA**

Open Mobile Alliance

## **OTA**

Over-The-Air Configuration. To provide settings for the phone by way of sending an SMS message over the network to the phone. This reduces the need for the user to configure the phone manually

## **PDA**

Personal Digital Assistant

## **PDP**

Packet Data Protocol

## **PIM**

Personal Information Management

## **PNG**

Portable Network Graphic

## **QCIF**

Quarter Common Intermediate Format

## **RDS**

Radio Data System

## **RSS**

Really Simple Syndication

## **RTSP**

Real Time Streaming Protocol session control.

## **SI**

Service Indication

## **SL**

Service Loading

## **SIM card**

Subscriber Identity Module card – a card that must be inserted in any GSM-based mobile phone. It contains subscriber details, security information and memory for a personal directory of numbers. The card can be a small plug-in type or credit card-sized, but both types have the same functions. The phone uses the small plug-in card.

## **SMS**

Short Messaging Service. Allows messages of up to 160 characters to be sent and received via the network operator's message centre to a mobile phone

## **SP-MIDI**

SP-MIDI stands for Scalable Polyphony MIDI

## **SS**

Supplementary Services

## **SSL**

Secure Socket Layer

## **TLS**

Transport Layer Security

## **TTI**

Transmission Time Interval

## **UI**

User Interface

## **URL**

Uniform Resource Locator.  
The global address of documents and other resources on the World Wide Web

## **USSD**

Unstructured Supplementary Services Data

## **vCard**

vCard automates the exchange of personal information typically found on a traditional business card, for use in applications such as Internet mail, voicemail, Web browsers, telephony applications, call centres, conferences, PIMs /PDAs, pagers, fax, office equipment and smart cards. vCard is specified by IETF

## **VGA**

Video Graphics Array

## **WAP**

Wireless Application Protocol. Handheld devices, low bandwidth, binary coded, a deck/card metaphor to specify a service. A card is typically a unit of interaction with the user, that is, either presentation of information or request for information from the user. A collection of WML cards is called a deck, which usually constitutes a service

## **WAP Application**

A collection of WML cards, with the new context attribute set in the entry card

## **WAP service**

A WML application residing on a Web site

## **WAV**

Waveform audio format

## **WMA**

Windows Media Audio

## **WBMP**

Wireless BitMap.

A graphic format optimized for mobile computing devices

## **WCDMA**

Wideband Code Division Multiple Access

## **WML**

Wireless Markup Language. A markup language used for authoring services, fulfilling the same purpose as HyperText Markup Language (HTML) does on the World Wide Web (WWW). In contrast to HTML, WML is designed to fit small handheld devices

## **WSP**

Wireless Session Protocol

## **WWW**

World Wide Web

## **XHTML**

Extensible HyperText Markup Language

## **XML**

Extensible Markup Language

# Related information

## Documents

---

- Sony Ericsson User guide
- Sony Ericsson FAQ
- AT Command Reference Manual
- WAP 2.0 Specifications

## Links

---

- [www.sonyericsson.com/](http://www.sonyericsson.com/)
- [www.ericsson.com/mobilityworld/](http://www.ericsson.com/mobilityworld/)
- [www.midi.org](http://www.midi.org)
- [www.extendedsystems.com](http://www.extendedsystems.com)
- [www.gsmworld.com/](http://www.gsmworld.com/)
- [www.bluetooth.com](http://www.bluetooth.com)
- [www.imc.org](http://www.imc.org)
- [www.3gpp.org](http://www.3gpp.org)
- [www.irda.org](http://www.irda.org)
- [www.etsi.fr](http://www.etsi.fr)
- [www.openmobilealliance.org](http://www.openmobilealliance.org)
- [www.imc.org/pdi/](http://www.imc.org/pdi/)
- [www.w3.org/TR/xhtml1-basic/](http://www.w3.org/TR/xhtml1-basic/)
- [www.java.sun.com](http://www.java.sun.com)
- [www.memorystick.org/](http://www.memorystick.org/)
- [www.memorystick.com/](http://www.memorystick.com/)
- [www.sonyericsson.com/updateservice](http://www.sonyericsson.com/updateservice)
- [www.sonyericsson.com/support](http://www.sonyericsson.com/support)

## Trademarks and acknowledgements

---

The Bluetooth™ word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Sony Ericsson is under licence.

The Liquid Identity logo, PlayNow, BestPic, SensMe, VideoDJ, MusicDJ, TrackID and PhotoDJ are trademarks or registered trademarks of Sony Ericsson Mobile Communications AB.

WALKMAN, Mega Bass, Memory Stick Micro, M2 and Sony are trademarks or registered trademarks of Sony Corporation.

PictBridge is a trademark or registered trademark of Canon Kabushiki Kaisha Corporation.

Ericsson is a trademark of Telefonaktiebolaget LM Ericsson.

TrackID™ is powered by Gracenote Mobile MusicID™. Gracenote and Gracenote Mobile MusicID are trademarks or registered trademarks of Gracenote, Inc.

MicroSD™ and TransFlash™ are trademarks or registered trademarks of SanDisk Corporation.

Real, RealAudio, RealVideo are the trademarks or registered trademarks of RealNetworks, Inc.

The IrDA Feature Trademark is owned by the Infrared Data Association and used under licence there from.

XHTML™ is a registered trademark of the W3C.

Microsoft®, Windows® and ActiveSync are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Adobe Flash Lite are trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

3GPP™ is a trademark of ETSI in France and other jurisdictions.

SyncML is a trademark or registered trademark of Open Mobile Alliance Ltd.

Java and all Java based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

End-user license agreement for Sun Java™ J2ME™:

1. Restrictions: Software is confidential copyrighted information of Sun and title to all copies is retained by Sun and/or its licensors. Customer shall not modify, decompile, disassemble, decrypt, extract, or otherwise reverse engineer Software. Software may not be leased, assigned, or sub licensed, in whole or in part.

2. Export Regulations: Software including technical data, is subject to U.S. export control laws, including the U.S. Export Administration Act and its associated regulations, and may be subject to export or import regulations in other countries. Customer agrees to comply strictly with all such regulations and acknowledges that it has the responsibility to obtain licenses to export, re-export, or import Software. Software may not be downloaded, or otherwise exported or re-exported (i) into, or to a national or resident of, Cuba, Iraq, Iran, North Korea, Libya, Sudan, Syria (as such listing may be revised from time to time) or any country to which the U.S. has embargoed goods; or (ii) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders.

3. Restricted Rights: Use, duplication or disclosure by the United States government is subject to the restrictions as set forth in the Rights in Technical Data and Computer Software Clauses in DFARS 252.227-7013(c) (1) and FAR 52.227-19(c) (2) as applicable.

All other trademarks and copyrights are the property of their respective owners.